

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2163	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/05 10:30
S1	1889	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/01 15:43
S2	231	S1 and (forward\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19
S3	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19
S4	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S5	167	S4 and (input ingress) and (output egress)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S6	139	S5 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:38
S7	1	S6 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:32
S8	127	S6 and "routing table"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39

S9	1	S8 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S10	23	S8 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S11	0	S10 and concentrator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S12	23	S10 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S13	16	S10 and @ad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S14	1	"6687247"	USPAT	OR	OFF	2004/12/02 10:48
S15	2	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/01 15:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2163	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/05 10:30
S1	1889	router\$2 and (data adj packet\$2) and (rout\$4 adj table) and memor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/01 15:43
S2	231	S1 and (forward\$4 adj table)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19
S3	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:19
S4	231	S2 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S5	167	S4 and (input ingress) and (output egress)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:20
S6	139	S5 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:38
S7	1	S6 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:32
S8	127	S6 and "routing table"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39

S9	1	S8 and "lookup circuit"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S10	23	S8 and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S11	0	S10 and concentrator	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 15:39
S12	23	S10 and ad@<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S13	16	S10 and @ad<"20010508"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2004/11/30 16:02
S14	1	"6687247"	USPAT	OR	OFF	2004/12/02 10:48
S15	2	"6687247"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/05/01 15:43